

Making a room-sized camera obscura

This content has been downloaded from IOPscience. Please scroll down to see the full text.

2015 Phys. Educ. 50 19

(<http://iopscience.iop.org/0031-9120/50/1/19>)

View [the table of contents for this issue](#), or go to the [journal homepage](#) for more

Download details:

IP Address: 14.50.188.170

This content was downloaded on 27/10/2016 at 03:42

Please note that [terms and conditions apply](#).

You may also be interested in:

[Comment on 'From the pinhole camera to the shape of a lens: the camera-obscura reloaded'](#)
Sascha Grusche

[From the pinhole camera to the shape of a lens: the camera-obscura reloaded](#)
Max Ziegler and Burkhard Priemer

[Optical transfer function analysis of single pinhole glasses](#)
Mohammad Abolhassani and Abolfazl Akbari

[Camera obscura network: an array for registration of EAS Cerenkov radiation in the presence of high-intensity sky noise](#)
G K Garipov and B A Khrenov

[An interesting classroom discussion: what is the right subject of the photograph?](#)
Federico Corni

[Seeing lens imaging as a superposition of multiple views](#)
Sascha Grusche

[Determining camera parameters for round glassware measurements](#)
F O Baldner, P B Costa, J F S Gomes et al.

Making a room-sized camera obscura

Halima Flynt and Michael J Ruiz

University of North Carolina Asheville, NC, USA

E-mail: mjruiz@gmail.com



Abstract

We describe how to convert a room into a camera obscura as a project for introductory geometrical optics. The view for our camera obscura is a busy street scene set against a beautiful mountain skyline. We include a short video with project instructions, ray diagrams and delightful moving images of cars driving on the road outside.

1. Introduction

The camera obscura has fascinated scientists and artists for more than 2000 years [1]. We demonstrate how to convert a room into a large camera obscura as part of a unit on geometrical optics. We include a video [2] with detailed instructions, along with fascinating moving images of a city street and a majestic mountain ridge in the background. The principles are easy to understand and the project combines art [3] and science to create a rewarding experience for students.

2. The ray diagram

The camera obscura is an excellent introductory example of the application of geometrical optics. Ray diagrams of geometrical optics enable students to visualize, without mathematics, many common phenomena such as shadows, eclipses, images formed by mirrors and lenses, and our camera obscura. Figure 1 shows a ray diagram of a camera obscura or pinhole camera.

The diagram in figure 1 applies to several situations. First, it can represent holding an index card with a pinhole to safely view an image of the Sun during a solar eclipse on a second card. Second, it can represent two sides of a shoebox

with an image on tissue, or film in the case of a traditional pinhole camera. Third, the two sides can be walls of a darkened room in which the image is formed by light reflected from outdoor objects. This last case describes our room-sized camera obscura.

3. Preparing the room

For the project, one must first locate a room with a window and a clear opposite wall, so that most




Figure 1. Ray diagram of a camera obscura.




Figure 2. Aperture unit taped over a rectangular opening in the large black sheet to easily exchange aperture sizes.



Figure 3. Photograph of camera obscura image by Halima Flynt. Digital camera info: exposure time 30s, f -number $f/7.1$, sensitivity ISO 800, wide-angle $f = 27$ mm (35 mm film equivalent).

of the image forms on a large flat surface rather than on furniture. When we made our camera obscura, our room was the Bizamajig.com office of Ann Leigh and Billy Flynt (parents of one of the authors, HF) in downtown Asheville, North Carolina, USA. We darkened the room with large black plastic sheeting, commonly available in rolls for gardening. Be sure to test for light leaking into the room by turning off lights after the initial taping. Light leakage can easily wash out the image. Don't be discouraged if this happens on your first try. To fix our light leakage, we added extra tape in certain places and doubled up on the sheets for one window.

To create the hole for our camera obscura, instead of simply cutting a hole in the large sheet over the main window, we decided to make an exchangeable aperture unit. We cut a circular hole in a small rectangular piece of sheeting and surrounded it with a cardboard border. We then taped this section over a rectangular opening in the main sheet so we could easily exchange aperture sizes (see figure 2).

The formulas for the best aperture diameter given in physics books are not helpful here, as they give the smallest size that avoids diffraction effects. Unfortunately, these apertures produce images that are too faint to be easily seen




Figure 4. Photograph of camera obscura ceiling image by Halima Flynt. Digital camera info: exposure time 30 s, f -number $f/7.1$, sensitivity ISO 800, wide-angle $f = 27$ mm (35 mm film equivalent).

on a large wall. These formulas are best used as a guide for constructing small pinhole cameras where the time exposures are made of the images.

We suggest taking a fun, experimental approach, and trying out different aperture sizes. The best hole size depends on many variables, such as the location, season, weather, and time of day. The best hole diameters will be much larger than the sizes given by the physics formulas mentioned above. We sacrificed optimum sharpness for visibility. For a room size with a hole-to-wall distance of 3.7 m (12 feet), an aperture diameter of about 2 cm, cut after tracing the hole size using a 19 mm US penny, worked well at noon on a bright spring day at our location.

4. The images

Figure 3 is a 30 s exposure of the inverted image in our camera obscura taken by one of us (HF) with a Nikon D90 digital camera¹. The photo shows a section of downtown Asheville with a skyline of the beautiful Blue Ridge Mountains of

¹ The Nikon D90 photo was taken with the zoom lens at focal length $f = 18$ mm, a wide-angle shot. The equivalent focal length for the 35 mm (film) single-lens-reflex camera is $f_{SLR} = 27$ mm. The equivalent 'film sensitivity' is ISO 800 and the f -number is $f/\# = f/7.1$. The f -number determines your actual camera aperture diameter, which is $d = f/7.1 = 18 \text{ mm} / 7.1 = 2.5 \text{ mm}$.

Western North Carolina. Note the physical clock on the wall and other objects, which we intentionally left in place as visual reference points. You can see that the image extends onto the ceiling and adjacent left wall. Though one knows from theory what to expect before viewing a camera obscura, the majestic images on a large wall are impressive, and the scenes with motion, such as cars or walking pedestrians, are delightful. When making a room-sized camera obscura, try to pick a location that has interesting outside activity.

A direct view of the image on the ceiling can be found in figure 4. Since our camera obscura was two floors above the ground floor, we readily captured images from the street below. Our video includes our room preparations, images, and moving cars from the street outside.

5. Conclusion

Talking about the theory of a camera obscura is one thing, but witnessing a real one, especially one you have made, is a profound experience. It is a work of art² that adds another dimension to physics. This memorable experience will surely

² For many examples of beautiful images with the camera obscura, see [3]

H Flynt and M J Ruiz

enhance student appreciation of physics, and promote the idea that ‘physics is cool’.

Received 28 July 2014, revised 13 August 2014

Accepted for publication 18 September 2014

[doi:10.1088/0031-9120/50/1/19](https://doi.org/10.1088/0031-9120/50/1/19)

References

- [1] Keeney C 2011 *Pinhole Cameras: a Do-It-Yourself Guide* (New York: Princeton Architectural Press)
- [2] The link to our YouTube video <http://youtu.be/bkmCL8Ym2dU>
- [3] Morell A 2004 *Camera Obscura* (New York: Bulfinch Press)



Halima Flynt is a studio art major at the University of North Carolina Asheville, USA, with a concentration in photography. She is a freelance photographer in the Asheville area and has worked for the *Mountain Xpress*, a regional arts and entertainment newspaper in Western North Carolina.



Michael J Ruiz is professor of physics at the University of North Carolina Asheville, USA. He received his PhD in physics from the University of Maryland, USA. His innovative courses, with a strong online component aimed at general students, have been featured on the television channel *CNN*.